



SUGAR SERIES

PORCELAIN
600 X 600 MM

P R O D U C T
PORTFOLIO
2023

An exceptional collection

earth inspired designs...

Design is closely linked to the moment in history in which it is conceived. Today more than ever, the urge to reconnect with nature and its rhythms is influencing the aesthetics of our living spaces.

600x600mm collection presents

the material sensations of an earth tone inspired colour palette enhanced by lively combinations to express the positive energy of innovation and change.



Random
Designs



Maintenance
Free




Eco
Friendly



Chemical
Resistant

DIGITAL
PORCELAIN
TILES



600 X 600 MM

Luxurious Texture

Experience the highest level of luxury that brings natural beauty into the space of your home perfectly.

CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1501



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1502



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1503



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1504



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1505



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean

CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1506



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1507



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1508



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1509



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

**SUGAR
COLLECTION**



SF-1510



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1511



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1512



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1513



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1514



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1515



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1516



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1517



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1518



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1519



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1520



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1521



Low Water
Absorption



Frost
Resistant



Chemical
Resistant




Stain
Resistance



Zero
Maintenance




Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1522



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1523



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1524



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1525



Low Water
Absorption



Frost
Resistant



Chemical
Resistant




Stain
Resistance



Zero
Maintenance




Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1526



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance




Easy to
Clean



CERAMIC
FLOOR
TILE

60x
60
CM

SUGAR
COLLECTION



SF-1527



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean



TECHNICAL SPECIFICATION

Particulars	Standard as per ISO 13006/EN 176	OUR VALUE	METHOD OF TESTING
Deviation in length	± 0.50%	± 0.3%	EN 98
Deviation in Thickness	± 5%	± 3%	EN 98
Straightness Of Sides	± 0.5%	± 0.3%	EN 98
Rectangularity	± 0.6%	± 0.3%	EN 98
Surface Flatness	± 0.5%	± 0.3%	EN 98
Water Absorption	< 3	3 < 4	ISO 10945.3 EN 98
Mohs Hardness	> 5	> 5	EN 101
Flexural Strength	> 35 N/Sq.mm	> 39 N/Sq.mm	—
Abrasion Resistance	As specified by Manufacturer	PE 3	ISO 10545.6 EN 102
Frost Resistance	Frost Proof	Frost Proof	ISO 10534 - 11
Chemical Resistance	No Damage	No Damage	ISO 10534 - 18
Thermal Shock Resistance	No Damage	No Damage	ISO 10545 - 9
Colour Resistance	No Damage	No Damage	—
Stain Resistance	Resistance	Stain Proof	ISO 10545 - 14
Moisture Expansion	NIII	NIII	ISO 10545 - 10
Crazing Resistance	Min 2 Cycle	Min 4 Cycle	—

Note : Colour Shown are as accurate as the limitations of the printing process will allow. Prospective Customer Are advised to inspect a sample of the tiles before ordering every effort has been made to ensure the Accuracy of the information given. However, the Company reserves the right to change the specifications without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing Instruction on the cartons of the tiles as on responsibility can be accepted by the company once the tiles have been fixed.

PACKING DETAIL

Size	Thickness	No. of Tiles	Area Approx.	Weight Approx.
600 X 600 MM	9 MM	4 Pcs.	1.44 Sq. Mtr.	28 Kg.

UTILITY OF FLOOR TILES



